

# 「構造工学論文集」最終原稿作成、シンポジウム等、留意事項

土木学会・構造工学論文集編集小委員会

1. 修正原稿に基づき、掲載可と判定された場合は「最終原稿」を提出いただきます。

- 1) 「構造工学論文集投稿要領」記載の執筆要領、体裁に関する規則を厳守して下さい。
  - a) 編集小委員会から指示された場合を除き、原稿の修正は体裁に関するものに限ります。
  - b) 原稿の見本は初回および修正原稿用と同じものになります。ページ番号、行番号を削除し、修正原稿作成時に赤字にした箇所を黒字に戻して最終原稿を作成ください。  
※ページ番号、行番号の削除方法については、別紙をご参照ください。
  - c) 連絡著者のメールアドレスを原稿体裁に従って1ページ目左下に記入して下さい。  
(書き方は、所定の体裁、チェックシートでよくご確認下さい。連絡著者などの表記を個人名に置き換えないで下さい。)
  - d) 受理日欄は、(2025年2月4日受理)として下さい。
  - e) 英文タイトルおよび英文著者名の表記の仕方に誤りが大変多くなっています。原稿の見本を参考にして、必ずフォーマットを守るようにして下さい。J-STAGEへの掲載の関係上、必ず、ご確認下さい。
  - f) 形式不備があった場合には、その時点で返却する権利を当編集小委員会は持ります。
- 2) 最終原稿のPDFファイル(A4サイズ)を投稿者用Webより提出下さい。
  - a) 提出頂きましたPDFファイルはそのまま論文集(J-STAGE)に掲載されます。著者の責任で細心の注意を払い、提出前にはPDFファイルの質をご自身で十分にご確認下さい。
  - b) PDFファイルの作成は、土木学会論文集におけるPDFファイルの作成方法(<http://committees.jsce.or.jp/jjsce/ptebiki>)に準じて下さい。査読対応のためにページ数とファイルサイズが14ページおよび10MBを超過することは認められます。カラーの図表を入れて頂くことも可能です。
  - c) フォントが全て埋め込まれているか、プリンタで印刷した際に文字化けや図表の画質に問題がないか等、ご確認下さい。
  - d) セキュリティーの設定は絶対に行わないで下さい。添付ファイルも付けないようにして下さい。
- 3) 最終原稿の他にチェックシート(投稿原稿用および修正原稿用とは異なります。構造工学論文集編集小委員会のホームページから最終原稿用チェックシート入手ください。)も投稿者用Webよりご提出下さい。チェックシートにおけるチェック内容と原稿の実際に不整合がある場合は返却することがあります。

提出期限：2025年2月4日（火）17:00

締切後、ただちに論文集の製作に入りますので厳守して下さい。提出期限に遅れた場合は、掲載否とすることがあります。

問い合わせ先：土木学会構造工学委員会構造工学論文集編集小委員会幹事長

・九州大学大学院 工学研究院 准教授 玉井宏樹

〒160-0004 東京都新宿区四谷1丁目 外濠公園内

E-mail: struct-eng@jsce.or.jp

2. 登載料は下記の通りです。

ページ数に依らず 55,000 円

なお、登載料の請求書は連絡先宛に送付します。請求書の送付時期は 2025 年 3 月頃を予定しています。

3. 登載された論文は第 71 回構造工学シンポジウムで必ず発表して頂きます。日程は以下の通りです。プログラムは、2025 年 3 月上旬までに構造工学論文集編集小委員会のホームページ (<http://www.jsce.or.jp/committee/struct/journal/index.html>) に掲載される予定です。また、土木学会誌 2025 年 3 月号会告に開催案内を掲載する予定です。

開催期日：2025 年 4 月 12 日（土）、13 日（日）

開催場所：東京工業大学大岡山キャンパス

※日本建築学会からも、本論文集の姉妹誌として建築部門を対象とした構造工学論文集 Vol.71B が刊行され、同日同会場（並行セッション）にてシンポジウムが開催されます。建築部門に関する詳細は建築雑誌（日本建築学会）の会告に掲載されます。

※構造工学論文集 Vol.66A からは、論文集（CD）は発刊せずに、J-STAGE にシンポジウム前に無料公開することになりました。従いまして、論文集（CD）の販売は致しませんので、予めご了承下さい。

MS-Word ファイルで原稿を作成する方は、このテンプレートを必ず用いて下さい。原稿の作成前・作成中は、必ずチェックシートを確認して下さい。

上マージン  
20mm

欧文タイトルは、先頭の 1 文字および固有名詞の初めの文字として下さい。下の例では、J, S, E は固有名詞として大文字とし、全角文字は使用しないで下さい。

構造工学論文集 Vol. 71A (2025 年 3 月) ○○○

左マージン  
20mm

10pt

土木学会

## 構造工学論文集の完全版下投稿和文原稿

(1 行あける)

ゴシック 14pt

原稿区分が「論文」の場合は○○○を削除してください。区分が報告、総説の場合は、○○○をそれぞれ、報告、総説に置き換えてください。

タイトルには、「特殊文字、機種依存文字、ギリシャ文字、～などの文字は使用しないで下さい。

タイトルが 2 行にわたる場合、「段落」の「間隔」の「1 ページの行数を指定時に文字を行グリッド線に合わせる」のチェックを取って下さい。

Instruction for A4 size camera ready copy for  
Journal of Structural Engineering

(1 行あける)

土木太郎\*, 構造花子†, 工学二郎\*\*

Taro Doboku, Hanako Kozo, Jiro Kougaku

(1 行あける)

欧文姓名は、Given, Family Name の順とし姓も名前も先頭の 1 文字のみ大文字として下さい。欧文著者間は、全て半角カンマ+半角スペースで区切って下さい。

\*土木大学、工学研究科土木工学専攻博士前期課程 (〒160-0004 東京都新宿区四谷 1 丁目)

†工博、建設大学教授、工学部建設システム工学科 (〒160-0004 東京都新宿区四谷 1 丁目)

\*\*博(工)、構造大学教授、大学院工学研究科構造工学専攻 (〒160-0004 東京都新宿区四谷 1 丁目)

(1 行あける)

□長  
一セ  
セハ...

This file shows the instruction to prepare the manuscript of Journal of Structural Engineering. You must prepare your manuscript carefully according to this instruction. Please use the A4 size format. The number of pages and the size of

□本  
一は  
ヤン  
・ジ  
部一  
トマ  
ク右  
ラ左  
トの  
ス端  
ブド  
ア一文

## 行番号の削除方法

画面上方の「レイアウト」のタブを開く。  
→「行番号」をクリックして、「なし」を選択する。

(10 行は超えないで下さい) A4 判

明朝 (斜体) 10pt

(2 行あける)

Times-italic  
10pt

1. タイトル部分のレイアウト → ゴシック 10pt
2. 明朝 10pt
3. タイトル
4. 作成して下
5. 「構造工学論文集」の場合には、
6. と明記して
7. を使用して
8. 和文のタ
9. す。以下、日本語
10. い。連絡著者
11. 答できる著者
12. に明朝体 10pt
13. して下さい。
14. の場合を例
15. の空き
16. 付して下さい。なお、次郎に小サクイドリに関する注
17. 意事項を遵守して下さい。タイトル、著者名、所属はい
18. ずれも中央揃えとして下さい。
19. アブストラクトは所属の下 1 行あけて Times 10 pt の英

## ページ番号の削除方法

ページ番号記載部分の近くをダブルクリック  
→画面上方に「ヘッダー/フッター ツール」の  
「デザイン」のタブが表示される。  
→「先頭ページのみ別指定」のチェックボックスを  
解除する。  
→フッター（画面下方）のページ番号を削除する。  
(あくまで一例で、他にも方法があります。)

左側に  
2.06mm  
の空き  
あり

†連絡著者 / Corresponding author

E-mail: hanako@kensetu.ac.jp

初回投稿時および修正原稿投稿時は  
ページ番号および行番号を付す

下マージン  
25mm

右マージン  
20mm

- 1 4) 日本鉄鋼連盟 橋梁用鋼材研究会：“高性能鋼の概要  
2 (橋梁向け)”, 日本鉄鋼連盟ホームページ, <https://ww>  
3 w.jisfor.jp/info/book/documents/HighPerformanceSteel(Fo  
4 rBridgeConstruction).pdf (参照 2023. 4. 27) .

5  
6 明朝 10pt (1 行あける)  
7 (2024 年 9 月 2 日受付)  
(2025 年\*\*月\*\*日受理)  
論文の投稿受付締切日である  
(2024 年 9 月 2 日受付) と受理日  
欄 (2025 年\*\*月\*\*日受理) を記入  
して下さい.  
10pt

最終ページの左右の段落はできるだけそろえて終わる

受理日の記載  
「2025年2月4日」としてください。

**Do not apply security option to pdf-file.**

Top margin 20mm      Times 10pt      Use this file if you prepare manuscript with MS-Word.      Times 10pt

Journal of Structural Engineering Vol. 71A (March 2025)      JSCE

**XXXXXX**      2 lines      (1 blank line)      Do NOT use full-width characters.

When the manuscript is an original article (論文), please replace XXXXX with blank line. When it is not, please replace XXXXX with 'Technical report', 'Review article'.

Left margin 20mm      Times 10pt      Instruction for A4 size camera-ready copy for Journal of Structural Engineering      Check the check sheet before preparing the manuscript.

Times 14pt      (2 blank lines)

Taro Doboku\*, Hanako Kozo†, Jiro Kougaku\*\*  
(1 blank line)

Authors' names in the order of Given name, Family name.

\* B. of Eng., Dept. of Civil Eng., Doboku University, Yotsuya, Shinjuku-ku, Tokyo 160-0004  
†Dr. of Eng., Professor, Dept. of Civil Eng., Kensetsu University, 1-1, Doboku-cho, Doboku-shi, Doboku 999-0001  
\*\*Dr. of Eng., Professor, Dept. of Civil Eng., Kouzou University, 1-1, Doboku-cho, Doboku-shi, Doboku 999-0001

This file shows the instruction to prepare the manuscript of the Journal of Structural Engineering. You must prepare your manuscript carefully according to this instruction. Please use the A4 size format. The number of pages and the size of your manuscript file must not exceed 14 pages and 10 MB, respectively. The top, left and right margins are 20 mm, and the bottom margin is 25 mm. The font used is Times New Roman, 10 point bold for headings and 10 point for body text. The text should be typed in a double-column format.

## How to delete the line number

Open the "Layout" tab at the top of the screen.  
→ Click on "Line Numbers" and select "None".

Times Bold 10pt      Times 10pt

1. 1. TITLE, AUTHORS AND AFFILIATIONS      24 wider than those of the text of the article.  
(1 blank line)      25      (1 blank line)

3 The layout of the first page should be as shown in this  
4 instruction. The top, left and right margins should be 20 mm, and  
5 the bottom margin should be 25 mm. On the first page, 'Journal of  
6 Struct  
7 should  
8 Techn  
9 manus  
10 Roman  
11 word a  
12 should  
13 depend  
14 names  
15 used o  
16 For  
17 Times  
18 identifi  
19 should  
20 the sec  
21 Th  
22 (approximately 120 words) and should be followed by 3 or 4  
23 keywords. The left and right margins of the abstract are 25mm

2. MAIN TEXT      (1 blank line)

26      27      28 The text should be typed in a double-column. The text, in the  
29      30      31      32      33      34      35      36      37      38      39      40      41      42      43      44      45      46      47      48

## How to delete the page number

Double-click near the page number area.  
→ The "Design" tab of the "Header & Footer Tools" will appear at the top of the screen.  
→ Uncheck the check box for "Different First Page".  
→ Delete the page numbers in the footer (at the bottom of the screen).  
(This is just an example, there are other ways.)

2.06 mm space to the left of characters for corresponding author

Bottom margin 25mm      Right margin 20mm

Please include the page and the line numbers on the first draft and the first revision.

1 main heading.  
 2 (2) Sub-heading of the section  
 3 The sub-headings for sections, in 10 point bold face fonts, with  
 4 their initial letters capitalized, are used following to the section  
 5 number like 2.2 as shown in this example. Leave single spacing  
 6 before every sub-heading of section.

7 (3) Sub-heading of the sub-section

8 For the sub headings for sub sections, 10 point bold face fonts  
 9 are used. Only the first letter of the sub-heading is capitalized.  
 10 This sub heading should follow the parenthesized sub-section  
 11 number like (3). Any spacing is not necessary either before or after  
 12 this sub-heading of the sub-section.

13 (1 blank line)

14 3. MATHEMATICS

15 (1 blank line)

16 Use special high quality fonts for all mathematical equations  
 17 and symbols like,  $C_d$ ,  $\alpha(z)$  in the text. Some equations may be  
 18 placed off the text as:

$$19 G = \sum_{n=0}^{\infty} b_n(t) \quad (1a)$$

$$20 F = \int_{\Gamma} \sin zdz \quad (1b)$$

21 The size of the font of the mathematical equations and  
 22 symbols should be the same as the text. Mathematical equations  
 23 should be centered. All equations should be numbered  
 24 consecutively throughout the text, using Arabic numerals in  
 25 parentheses along the right margin.

26 (1 blank line)

27 4. FIGURES, TABLES AND PHOTOS

28 (1 blank line)

29 Figures, tables and photographs should be inserted in the page  
 30 where the reference is first made to them. Do not place them  
 31 altogether at the end of the manuscript.

32 Do not use too small character in the figures and tables. The  
 33 size of letters in those should be larger than 9 point. Caption should  
 34 be centered, but long caption must be intended like an example  
 35 shown in Table 1. The table caption should be placed above the  
 36 table, and both figure and photograph caption should be placed

Times Bold 10pt Times 10pt

Table 1 Thickness and width of main plate of tension specimen

No.	Thickness (mm)	Width (mm)
1	12	100
2	15	200

1 blank line




Fig. 1 Example of figure

1 blank line

(1 blank line)

48 4. PAGE NUMBER AND LINE NUMBER

(1 blank line)

49 50 Page and line numbers should be included in the initial  
 51 submission. The line numbers in the right column may not be fully  
 52 displayed in MS-Word; when converted to PDF, the line numbers  
 53 will be displayed. When submitting a revised manuscript, please  
 54 include page and line numbers and indicate the revised part in red.

55 (1 blank line)

56 57 ACKNOWLEDGEMENT: ← Times Bold 10pt

58 Acknowledgement should follow the conclusions. Any  
 59 spacing of the line is needed between the heading of  
 60 acknowledgement and its' text.

61 (1 blank line)

62 APPENDIX ← Times Bold 10pt

63 (1 blank line)

64 If any, appendices should be placed right before References.  
 65 In the last page, the height of the two columns should be equal.  
 66 Please type the due date and received date at the end of reference  
 67 list in order.

68 (1 blank line) Times 10pt

69 References ← Times Bold 10pt

70 1) Gibson, L. J. and Ashby, M. F.: The mechanics of cellular  
 71 A382, pp.43-59, 1982.  
 72 sign and Analysis of Coalesced  
 73 s, New York, 1987.  
 74 eration: “High Performance  
 75 n”, Website of The Japan  
 76 s://www.jisf.or.jp/info/book/d

77 Please type the dates as follows

78 (Received September 2, 2024)

79 (Accepted February 4, 2025)

80 (1 blank line)

81 All the references must be numbered in the order of  
 82 appearance in the article and right parenthesized numbers are used  
 83 at the text<sup>10</sup>. The reference list must be summarized at the end of  
 84 the main text. Use the 10-point font for the list.

85 documents/HighPerformanceSteel(ForBridgeConstruction).en.  
 86 pdf (accessed on April 27, 2023).

(1 blank line)

87 (Received September 2, 2024)

88 (Accepted \*\*\* \*, 2025)

89 Times 10pt

90 Please type the dates as follows:

91 (Received September 2, 2024)

92 (Accepted \*\*\* \*, 2025)